



## Ka Band Choke Flange Feed Horn Antenna, 24 to 42 GHz, 10 dBi

### Description:

**Model SAH-2434231060-358-U2** is a Ka-band choke flange feed horn antenna that operates from 24 to 42 GHz. The antenna offers a 10 dBi nominal gain, 60 degree typical half power beamwidth in both E and H planes, and -25 dB typical side lobe level for E plane and -35 dB for H Plane, respectively. The choke flange feed horn is equipped with a 0.358" diameter circular waveguide with UG-599/U flange that supports both linear and circular polarized waveforms.



A rectangular waveguide port configuration that only supports linear polarization is available under a different model number.

### Features:

- Ultrabroad Band Operation
- Circular Waveguide Interface
- Low Side Lobe Level
- Linear and Circular Polarization

### Applications:

- Feed Horn for Gaussian Optical Antennas
- Feed Horn for Cassegrain Antennas
- Rapid System Setups
- Antenna Range Setups

### Electrical Specifications:

Parameter	Minimum	Typical	Maximum
Frequency	24 GHz	33 GHz	42 GHz
Gain		10 dBi	
3 dB Beamwidth, E-plane		60°	
3 dB Beamwidth, H-plane		60°	
Side Lobes, E-plane		-25 dB	
Side Lobes, H-plane		-35 dB	
Return Loss		20 dB	
Specification Temperature		+25 °C	
Operating Temperature	-40 °C		+85 °C

### Mechanical Specifications:


Item	Specification
Antenna Port	0.358" Diameter Circular Waveguide
Flange Type	UG-599/U
Material	Aluminum
Finish	Gold Plated
Weight	4 Oz
Size	1.70" (L) X 1.48" (Ø)
Outline	AH-CA10-358-BX1






## Ka Band Choke Flange Feed Horn Antenna, 24 to 42 GHz, 10 dBi

### Typical Antenna Pattern @ 24 GHz




### Typical Antenna Pattern @ 32 GHz






## Ka Band Choke Flange Feed Horn Antenna, 24 to 42 GHz, 10 dBi

### Typical Antenna Pattern @ 42 GHz




### Typical Gain vs. Frequency






## Ka Band Choke Flange Feed Horn Antenna, 24 to 42 GHz, 10 dBi

Typical Return Loss vs. Frequency




3 dB Beamwidth of E and H Plane



www.sagemillimeter.com | 3043 Kashiwa Street, Torrance, CA 90505  
 Phone: 424-757-0168 | Fax: 424-757-0188 | Email: sales@sagemillimeter.com

## Ka Band Choke Flange Feed Horn Antenna, 24 to 42 GHz, 10 dBi

**Mechanical Outline:** (Unless otherwise specified, all dimensions are in inches [millimeters])



**Note:**

- All data presented is collected from a sample lot. Actual data may vary unit to unit slightly.
- All testing was performed under +25 °C room temperature.
- SAGE Millimeter, Inc. reserves the right to change the information presented without notice.

**Caution:**

- Any foreign objects in the antenna will cause performance degradation and possible device damage.

